

Rush and setup

xStages







Rush and setup

xStage S3



S3 is the perfect self-build platform system for basic stage applications. The light-weight aluminium profile combines with a rigid deck construction to create simple stage configurations.

The low-profile stage is available with outdoor (water-resistant) plywood or plexi glass or honeycomb composite deck.



S3 xSTAGE

S3-Lightweight platform stage featuring simple plug-in legs and variety of surface options

S3 xSTAGE LOADING TABLE										
dimensions			2000 x 1000 mm	78.74" x 39.37"	2000 x 1000 mm	78.74" x 39.37"	2000 x 1000 mm	78.74" x 39.37"	2000 x 1000 mm	78.74" x 39.37"
height	adjustable up to:		500 mm	19.68"	700 mm	27.56"	1000 mm	39.37"	1500 mm	59.06"
max. load	steel leg 48,3 x 5,6 mm	1.90" x 0.22"	750 kg/m²	153.6 lbs/ft2	750 kg/m²	153.6 lbs/ft²	750 kg/m²	153.6 lbs/ft²	660 kg/m²	135.2 lbs/ft²
	steel leg 48,3 x 3,2 mm	1.90" x 0.12"	630 kg/m²	129.1 lbs/ft2	610 kg/m²	124.9 lbs/ft²	550 kg/m²	112.7 lbs/ft²	475 kg/m²	97.3 lbs/ft²
	aluminium leg 48 x 3 mm	1.89" x 0.11"	675 kg/m²	138.3 lbs/ft2	660 kg/m²	135.2 lbs/ft²	590 kg/m²	120.9 lbs/ft²	425 kg/m²	87.1 lbs/ft²
top										
plywood, plexi-glass, composite honeycomb			15 mm	0.59"						

 $[\]hbox{$\star$ Anti-slip plywood (outdoor use). Due to natural condition of plywood, the deck shade / colour may vary. }$

S3 xSTAGE					
dimensions	2000 x 1000 mm	78.74" x 39.37"			
height	adjustable up to: 1500 mm	59.06"			
max. load	750 kg/m²	153.6 lbs/ft²			
top	plywood: 15 mm	0.59"			
weight	39 kg	85.9 lbs			
storage height	100 mm	3.94"			
platform material	plywood, plexi-glass, composite ho- neycomb				
special surface	possible				
special sizes	possible				







S8 PLEXIGLAS SURFACE

Transparent surface, different colours available on request.



S8 PLYWOOD SURFACE / HONEYCOMB COMPOSITE

Anti-slip plywood (outdoor use). Due to natural condition of plywood, the deck shade / color may vary. Honeycomb composite deck - anti-slip, more durable, stronger, much lighter, keeps same color.




S3 PLUG-IN LEG SYSTEM

Collar for inserting aluminium or steel pipe-leg



S3 STAGE CONNECTOR

Universal stage connector for S1, S3, S4 and S8 decks.



S3 DECK CONNECTION

Aluminium connector for joining two decks



S3 xSTAGE CAN BE USED WITH DIFFERENT LEGS AND HEIGHTS





Aluminium or steel, plastic cap ending.




S3 ADJUSTABLE LEGS

Aluminium, adjustable 5 cm screw foot.



S3 TELSCOPIC LEGS

Aluminium, adjustable in 10 cm steps and bottom




S3 xSTAGE

S3 standard table



S3 xSTAGE C 001

ldeal for round shape platform installations. Different sizes on request



S3 xSTAGE C 004


ldeal for custom build projects with special xStage shapes using chamfer design. Manufactured in Left and Right version.



S3 xSTAGE C 006

ldeal for custom build projects with special xStage shapes using chamfer design Manufactured in Left and Right version.






S3 xSTAGE LEGS

Legs available from 200 – 1500 mm (7.87" - 59.06")



S3 xSTAGE C 009

Special version of S3 deck with dimensions 1 x 1 m.



S3 xSTAGE C 010

ldeal for platform installations with unusual shapes and dimensions. Manufactured in Left and Right version.



S3 xSTAGE C 014

Special version of S3 deck with dimensions 2 x 0,5 m.



S3 xSTAGE C 015

Special version of S3 deck with dimensions 1 x 0,5 m.